## SD240723-071 page 1 of 1

PharmLabs San Diego Certificate of Analysis

## sample Cutleaf Rosin Snapz - Grape/Punch





Delta9 THC 0.13% THCa ND Total THC (THCa \* 0.877 + THC) 0.13%

Delta8 THC ND

Tested for Reel World Brands		
Sampled -	Received Jul 23, 2024	Reported Jul 24, 2024
Analyses executed CANX, QARUSH		Unit Mass (g) 5.0

## CANx - Cannabinoids Analysis

aluzed Jul 24, 2024 | Instrument HPLC-VWD | Me d SOP-001

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g	Result mg/Unit	Sample photogro
1-Hydroxy-Δ8-Tetrahydrocannabivarin (11-Hyd-Δ8-THCV)	0.013	0.041	ND	ND	ND	
Cannabidiorcin (CBDO)	0.002	0.007	ND	ND	ND	
Abnormal Cannabidiorcin (a-CBDO)	0.01	0.031	ND	ND	ND	Tleat
+/-)-9B-hydroxy-Hexahydrocannibinol (9b-HHC)	0.012	0.036	ND	ND	ND	SOSIN
1-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THC)	0.007	0.021	ND	ND	ND	A CHARTY
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND	ND	<b>CNAY</b>
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND	ND	JJUL (O
Cannabigerol (CBG)	0.001	0.16	5.16	51.60	258.00	IN PUNCH
Cannabidiol (CBD)	0.001	0.16	49.93	499.26	2496.30	
(S)-Tetrahydrocannabidiol (1(S)-H4-CBD)	0.013	0.041	4.69	46.91	234.55	
(R)-Tetrahydrocannabidiol (1(R)-H4-CBD)	0.025	0.075	34.30	342.97	1714.85	
etrahydrocannabivarin (THCV)	0.001	0.16	ND	ND	ND	2500+= 3007
s8-tetrahydrocannabivarin (Δ8-THCV)	0.021	0.064	ND	ND	ND	
annabidihexol (CBDH)	0.005	0.16	ND	ND	ND	ANTOINA ETRANS MOTAMONANO
etrahydrocannabutol (Δ9-THCB)	0.013	0.038	ND	ND	ND	
annabinol (CBN)	0.001	0.16	0.16	1.64	8.20	
annabidiphorol (CBDP)	0.015	0.047	ND	ND	ND	
xo-THC (exo-THC)	0.005	0.16	ND	ND	ND	
etrahydrocannabinol (Δ9-THC)	0.003	0.16	0.13	1.31	6.55	
8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	ND	ND	ND	
saR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10)	0.015	0.16	ND	ND	ND	
lexahydrocannabinol (S Isomer) (9s-HHC)	0.017	0.16	ND	ND	ND	
5aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10)	0.007	0.16	ND	ND	ND	
exahydrocannabinol (R Isomer) (9r-HHC)	0.016	0.16	ND	ND	ND	
etrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND	ND	
9-Tetrahydrocannabihexol (Δ9-THCH)	0.024	0.071	ND	ND	ND	
Cannabinol Acetate (CBNO)	0.014	0.043	ND	ND	ND	
9-Tetrahydrocannabiphorol (∆9-THCP)	0.017	0.16	ND	ND	ND	
8-Tetrahydrocannabiphorol (Δ8-THCP)	0.041	0.16	ND	ND	ND	
annabicitran (CBT)	0.005	0.16	ND	ND	ND	
8-THC-O-acetate (Δ8-THCO)	0.076	0.16	ND	ND	ND	
(S)-HHCP (s-HHCP)	0.031	0.094	ND	ND	ND	
9-THC-O-acetate (Δ9-THCO)	0.066	0.16	ND	ND	ND	
(R)-HHCP (r-HHCP)	0.026	0.079	ND	ND	ND	
S)-HHC-O-acetate (s-HHCO)	0.005	0.16	ND	ND	ND	
R)-HHC-O-acetate (r-HHCO)	0.008	0.025	ND	ND	ND	
-octyl-Δ8-Tetrahydrocannabinol (Δ8-THC-C8)	0.067	0.204	ND	ND	ND	
otal THC ( THCa * 0.877 + Δ9THC )			0.13	1.31	6.55	
otal THC + Δ8THC + Δ10THC ( THCa * 0.877 + Δ9THC + Δ8THC + Δ10THC )			0.13	1.31	6.55	

UI Unidentified ND Not Detected NA Not Applicable NT Not Reported LOD Limit of Detection LOQ Limit of Otenctification <LOQ Detected >ULQL Above upper limit of linearity >ULQL Above upper limit of linearity CFU/Q colong forming Units per 1 gram TNTC Too Numerous to Count

Total CBG ( CBGa \* 0.877 + CBG )

Total HHC ( 9r-HHC + 9s-HHC )

Total Cannabinoids Analyzed



DCC license: C8-0000098-LIC DEA license: RP0611043 ISO/IEC 17025:2017 Acc. L17-427-1



5.16

ND

94.37

51.60

ND

943.69

258.00

ND

4718.45

Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager Wed, 24 Jul 2024 11:52:33 -0700



PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1 This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to plagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an 'as received' back, indicated on therwise, when a das/real is to instance to the incomplexation of the lab. This report is for informational purposes only and should not be used to plagnose, treat or prevent any disease. Results are reported on an 'as received' back, indicated on therwise, when a das/real is to instance to be in compliance. The measurement of uncertainty is ontincible upon required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/real is detend, state and local lows of has been reported on the certificate of analysis. Measurement of uncertainty is ontincible upon request.