

Cutleaf - Real World Brands


1280 N Johnson Avenue, Suite 101B
El Cajon, CA 92020
Project 06/17/2024

Seed to Sale: N/A
Retail Batch#: N/A
Cultivar: N/A
Cultivation Facility: N/A
Processing Facility: N/A
Sampling: SOP 21

COMPLIANCE FOR RETAIL

Sample Name: N03887 Cutleaf 3mg W.S D9, 25mg H4CBD CucumberChile Lime Gummies
Lab Sample ID: F406188-01 **Matrix:** Gummy
Retail Batch Total Wt/Vol: N/A **Retail Batch Total Units:** N/A
Retail Batch Date: N/A **Total Wt, Vol or Unit Sampled:** 1

Date Sampled: 06/17/2024
Date Received: 06/17/2024
Date Reported: 06/21/2024



Total Cannabinoids	
0.548%	
Major Cannabinoids	
Total CBD	Total THC
ND%	0.068%
ND mg/g	0.680 mg/g
ND mg/Unit	3.48 mg/Unit
Minor Cannabinoids *	
1(R/S)-H4-CBD	delta-9-THC
0.48%	0.068%
4.80 mg/g	0.680 mg/g
NA mg/Unit	NA mg/Unit

Potency as Received

* Most abundant

Cannabinoids


Date Prepared: 06/18/24 09:45 Prep ID: MC Specimen Prep: 5.1216 g / 10 mL
Date Analyzed: 06/18/24 19:17 Analyst ID: CW Instrument: HPLC
Lab Batch: B24F032 Prep/Analysis Method: ACCU LAB SOP15

Analyte	Dilution	LOQ	Results		mg/Serving	
			%	%	mg/g	mg/Unit
1(R/S)-H4-CBD	10	0.0020	0.48		4.80	24.58
CBC	10	0.0020	ND		ND	ND
CBCA	10	0.0020	ND		ND	ND
CBD	10	0.0020	ND		ND	ND
CBDA	10	0.0020	ND		ND	ND
CBDV	10	0.0020	ND		ND	ND
CBDVA	10	0.0020	ND		ND	ND
CBG	10	0.0020	ND		ND	ND
CBGA	10	0.0020	ND		ND	ND
CBN	10	0.0020	ND		ND	ND
delta-8-THC	10	0.0020	ND		ND	ND
delta-9-THC	10	0.0020	0.068		0.680	3.48
THCA	10	0.0020	ND		ND	ND
THCV	10	0.0020	ND		ND	ND
THCVA	10	0.0020	ND		ND	ND

Definitions and Abbreviations used in this report:

Total CBD = CBD + (CBD-A * 0.877), Total THC = THCA-A * 0.877 + Delta 9 THC
LOQ = Limit of Quantitation, LOD = Limit of Detection, DIL = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (N/A) Not Analyzed, (ND) Non-Detect. Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.



PJLA
Testing
Accreditation#: 109150

Dr. Harry Behzadi, PhD.
President, CEO

