

Reel World Brands Inc
1280 N Johnson Ave Suite 101 B
El Cajon, CA 92020
Project 06/17/2024

Seed to Sale: N/A
Retail Batch#: N/A
Cultivar: N/A
Cultivation Facility: N/A
Processing Facility: N/A
Sampling: SOP 21

COMPLIANCE FOR RETAIL

Sample Name: N03888 Cutleaf 3mg W.S D9, 25mg H4CBD Strawberry Chile Lime Gummies
Lab Sample ID: F406185-01 **Matrix:** Gummy
Retail Batch Total Wt/Vol: N/A **Retail Batch Total Units:** N/A
Retail Batch Date: N/A **Total Wt, Vol or Unit Sampled:** 1

Date Sampled: 06/17/2024
Date Received: 06/17/2024
Date Reported: 06/21/2024



Total Cannabinoids	
0.609%	
Major Cannabinoids	
Total CBD	Total THC
0.00074%	0.072%
0.007 mg/g	0.720 mg/g
0.04 mg/Unit	3.76 mg/Unit
Minor Cannabinoids *	
1(R/S)-H4-CBD	delta-9-THC
0.53%	0.072%
5.30 mg/g	0.720 mg/g
NA mg/Unit	NA mg/Unit

Potency as Received

* Most abundant

Cannabinoids

Date Prepared: 06/18/24 09:45 Prep ID: MC Specimen Prep: 5.216 g / 10 mL
Date Analyzed: 06/18/24 13:37 Analyst ID: CW Instrument: HPLC
Lab Batch: B24F032 Prep/Analysis Method: ACCU LAB SOP15

Analyte	Dilution	LOQ	Results		mg/Serving	
			%	%	mg/g	mg/Unit
1(R/S)-H4-CBD	20	0.0038	0.53		5.30	27.64
CBC	1	0.00019	0.0010		0.010	0.05
CBCA	1	0.00019	ND		ND	ND
CBD	1	0.00019	0.00074		0.007	0.04
CBDA	1	0.00019	ND		ND	ND
CBDV	1	0.00019	ND		ND	ND
CBDVA	1	0.00019	ND		ND	ND
CBG	1	0.00019	0.00039		0.004	0.02
CBGA	1	0.00019	0.00067		0.007	0.03
CBN	1	0.00019	0.00081		0.008	0.04
delta-8-THC	1	0.00019	0.0032		0.032	0.17
delta-9-THC	10	0.0019	0.072		0.720	3.76
THCA	1	0.00019	ND		ND	ND
THCV	1	0.00019	ND		ND	ND
THCVA	1	0.00019	ND		ND	ND

Definitions and Abbreviations used in this report:

Total CBD = CBD + (CBD-A * 0.877), Total THC = THCA-A * 0.877 + Delta 9 THC

LOQ = Limit of Quantitation, LOD = Limit of Detection, DIL = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (N/A) Not Analyzed, (ND) Non-Detect. Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.



PJLA
Testing
Accreditation#: 109150

Dr. Harry Behzadi, PhD.
President, CEO

