

Reel World Brands Inc
1280 N Johnson Ave Suite 101 B
El Cajon, CA 92020
Project 06/12/2024


Seed to Sale: N/A
Retail Batch#: N/A
Cultivar: N/A
Cultivation Facility: N/A
Processing Facility: N/A
Sampling: SOP 21

COMPLIANCE FOR RETAIL

Sample Name: N03892 Cutleaf Mello Chilis Mango Chili Limon

Date Sampled: 06/12/2024
Date Received: 06/12/2024
Date Reported: 06/20/2024

Lab Sample ID: F406144-01 Matrix: Other (Edible)
Retail Batch Total Wt/Vol: N/A Retail Batch Total Units: N/A
Retail Batch Date: N/A Total Wt, Vol or Unit Sampled: 1



Total Cannabinoids	
0.452%	
Major Cannabinoids	
Total CBD	Total THC
ND%	0.0618%
ND mg/g	0.618 mg/g
ND mg/Unit	3.16 mg/Unit
Minor Cannabinoids *	
1(R/S)-H4-CBD	delta-9-THC
0.385%	0.0618%
3.85 mg/g	0.618 mg/g
0.00 mg/Unit	0.00 mg/Unit

Potency as Received

* Most abundant

Cannabinoids

Date Prepared: 06/13/24 12:50 Prep ID: DH Specimen Prep: 5.1164 g / 10 mL
Date Analyzed: 06/14/24 04:31 Analyst ID: CW Instrument: HPLC
Lab Batch: B24F032 Prep/Analysis Method: ACCU LAB SOP15

Analyte	Dilution	LOQ	Results		mg/Serving	
			%	%	mg/g	mg/Unit
1(R/S)-H4-CBD	20	0.00391	0.385		3.85	19.70
CBC	5	0.000977	0.00204		0.020	0.10
CBCA	5	0.000977	ND		ND	ND
CBD	5	0.000977	ND		ND	ND
CBDA	5	0.000977	ND		ND	ND
CBDV	5	0.000977	ND		ND	ND
CBDVA	5	0.000977	ND		ND	ND
CBG	5	0.000977	ND		ND	ND
CBGA	5	0.000977	0.00099		0.010	0.05
CBN	5	0.000977	ND		ND	ND
delta-8-THC	5	0.000977	0.00174		0.017	0.09
delta-9-THC	5	0.000977	0.0618		0.618	3.16
THCA	5	0.000977	ND		ND	ND
THCV	5	0.000977	ND		ND	ND
THCVA	5	0.000977	ND		ND	ND

Definitions and Abbreviations used in this report:

Total CBD = CBD + (CBD-A * 0.877), Total THC = THCA-A * 0.877 + Delta 9 THC
LOQ = Limit of Quantitation, LOD = Limit of Detection, DIL = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (N/A) Not Analyzed, (ND) Non-Detect. Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.



PJLA
Testing
Accreditation#: 109150

Dr. Harry Bezhadi, PhD.
President, CEO

