

Cutleaf - Real World Brands

1280 N Johnson Avenue, Suite 101B
El Cajon, CA 92020
Project 06/19/2024

Seed to Sale: N/A
Retail Batch#: N/A
Cultivar: N/A
Cultivation Facility: N/A
Processing Facility: N/A
Sampling: SOP 21

COMPLIANCE FOR RETAIL

Sample Name: NO3890 Cutleaf Pina Colada Chili Limon

Lab Sample ID: F406202-01
Retail Batch Total Wt/Vol: N/A
Retail Batch Date: N/A

Matrix: Gummy
Retail Batch Total Units: N/A
Total Wt, Vol or Unit Sampled: 1

Date Sampled: 06/19/2024
Date Received: 06/19/2024
Date Reported: 06/24/2024



Total Cannabinoids	
0.516%	
Major Cannabinoids	
Total CBD	Total THC
ND%	0.0616%
ND mg/g	0.616 mg/g
ND mg/Unit	3.13 mg/Unit
Minor Cannabinoids *	
1(R/S)-H4-CBD	delta-9-THC
0.453%	0.0616%
4.53 mg/g	0.616 mg/g
NA mg/Unit	NA mg/Unit

Potency as Received

* Most abundant

Cannabinoids

Date Prepared: 06/20/24 10:23
Date Analyzed: 06/20/24 15:25
Lab Batch: B24F032

Prep ID: MC
Analyst ID: CW

Specimen Prep: 5.0755 g / 10 mL
Instrument: HPLC

Prep/Analysis Method: ACCU LAB SOP15


Analyte	Dilution	LOQ	Results		mg/Serving	
			%	%	mg/g	mg/Unit
1(R/S)-H4-CBD	20	0.00394	0.453		4.53	22.99
CBC	5	0.000985	0.00171		0.017	0.09
CBCA	5	0.000985	ND		ND	ND
CBD	5	0.000985	ND		ND	ND
CBDA	5	0.000985	ND		ND	ND
CBDV	5	0.000985	ND		ND	ND
CBDVA	5	0.000985	ND		ND	ND
CBG	5	0.000985	ND		ND	ND
CBGA	5	0.000985	ND		ND	ND
CBN	5	0.000985	ND		ND	ND
delta-8-THC	5	0.000985	ND		ND	ND
delta-9-THC	5	0.000985	0.0616		0.616	3.13
THCA	5	0.000985	ND		ND	ND
THCV	5	0.000985	ND		ND	ND
THCVA	5	0.000985	ND		ND	ND

Definitions and Abbreviations used in this report:

Total CBD = CBD + (CBD-A * 0.877), Total THC = THCA-A * 0.877 + Delta 9 THC

LOQ = Limit of Quantitation, LOD = Limit of Detection, DIL = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (N/A) Not Analyzed, (ND) Non-Detect. Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.



PJLA
Testing
Accreditation#: 109150

Dr. Harry Bezhadi, PhD.
President, CEO

